



Riser Door Systems

INVI RISER **INVI** ACCESSDOR





INVI RISER

Timber Riser Doors


INVI Riser is a concealed riser door system that cleverly hides the appearance of access panels and service cupboards by creating a flush finish to the plasterboard and eliminating the need for architraves around the door. With only a 3mm reveal between the door and plasterboard, INVI Riser Timber Riser Doors blend seamlessly into the wall or ceiling, resulting in a frameless, architrave-free riser door. AccessDor can be custom made to fit your specifications. The INVI Concept range of riser doors also includes a range of fire rated options and various latch choices to suit your security requirements. Hide the appearance of riser doors by specifying AccessDor in your next project.



Single Doors




Double Doors




All doors pictured above are 4 sided.

INVI Riser Timber Riser Door




This metal frame and timber door produce a concealed riser door, by eliminating architraves. The single piece metal section has a perforated bead and door stop for fixing. This frameless jamb system wraps the wall face around the door, creating a flush finished look from the outside. Only available with INVI Hinge Concealed Hinges.

Available as 3 or 4 sided doors.



3 Sided Jamb




4 Sided Jamb

Flush Finish Riser Doors




Specification Details


INVI RISER TIMBER RISER DOOR TIMBER LEAF DOORSET			
Door Thickness	44mm	54mm	
Fire Rating	FD30	FD60	
Hinge Options	1 INVI Hinge Concealed Hinges 1		
Options	- Available with a single piece or split piece jamb - Acoustic rating available on selected products - Field of assessment available upon request - Available with or without doors (flush primed doors only) - Single or double access panel options available		

 Door ironmongery by other manufacturers. Door hinges by INVI Concept.

Masonry Wall Details



Timber Stud Details



INVI ACCESSDOR

Metal Access Panels

INVI Concept offer a range of access panels with picture frame or beaded frame options to suit various installation purposes, acoustic ratings and fire rating requirements.


Suitable for wall and ceiling applications, AccessDor Standard Access Panels come with a variety of locking mechanism options to meet your security requirements.



Metal Door Dual Purpose

Product Features

- Quickfit! Saves up to 80% on fitting times
- Supplied with cut out template as standard
- Dual Purpose - Suitable for installation in to both walls and ceilings
- Fire Rating - Non Fire Rated
- Frame Types - Mitreless Picture Frame
- Lock Type - INVI Fix Flush Lock
- Finish - RAL 9010 30% Gloss White (other colours available)
- Acoustic Rating - Coming Soon!



AD-MFPF-150-150-EF-NFR

Non Fire Rated



Sizes - Picture Frame (mm)	Sizes - Beaded Frame (mm)	Product Description
150 x 150	150 x 150	Metal Faced Dual Purpose Panel
200 x 200	200 x 200	Non Fire Rated
230 x 230		Mitreless Picture Frame ¹
300 x 300		Supplied with the INVI Fix Fitting Device
450 x 450		Supplied with the INVI Fix Flush Lock ²
550 x 550		Single Door Unit
600 x 300		Powder Coated RAL 9010 30% Gloss
600 x 600		
900 x 600		
1200 x 600		


¹ Beaded Frame available on request.

² Other latch options available on request.

Metal Door Dual Purpose

Product Features

- Quickfit! Saves up to 80% on fitting times
- Supplied with cut out template as standard
- Dual Purpose - Suitable for installation in to both walls and ceilings
- Fire Rating - Available up to 2 Hours Fire Rated
- Acoustic Rating - Coming Soon!
- Airtight Rating - Coming Soon!
- Frame Types - Mitreless Picture Frame
- Lock Type - Flush Bung



AD-MFPF-150-150-EF-FD60

1 Hour Fire Rated



Sizes - Picture Frame (mm)	Product Description
150 x 150	Metal Faced Dual Purpose Panel
200 x 200	1 Hour Fire Rated
300 x 300	Mitreless Picture Frame 1
450 x 450	Supplied with the INVI Fix Fitting Device
550 x 550	Supplied with the INVI Fix Flush Lock 2
600 x 300	Single Door Unit
600 x 600	Powder Coated RAL 9010 30% Gloss

AD-MFPF-150-150-EF-FD120

2 Hour Fire Rated




Sizes - Picture Frame (mm)	Product Description
150 x 150	Metal Faced Dual Purpose Panel
200 x 200	2 Hours Fire Rated
300 x 300	Mitreless Picture Frame 1
450 x 450	Supplied with the INVI Fix Fitting Device
550 x 550	Supplied with the INVI Fix Flush Lock 2
600 x 300	Single Door Unit
600 x 600	Powder Coated RAL 9010 30% Gloss

- 1 Beaded Frame available on request.
- 2 Other latch options available on request.

Plasterboard Door Dual Purpose

Product Features

- Quickfit! Saves up to 80% on fitting times
- Supplied with cut out template as standard
- Dual Purpose - Suitable for installation in to both walls and ceilings
- Fire Rating - Available up to 1 Hour Fire Rated
- Acoustic Rating - Coming Soon!
- Frame Types - Beaded Frames
- Lock Type - INVI Fix Flush Lock
- Finish - RAL 9010 30% Gloss White (other colours available)



AD-PBBF-150-150-EF-BL-NFR

Non Fire Rated



Sizes - Picture Frame (mm)	Product Description
150 x 150	Plasterboard Faced Dual Purpose Panel
200 x 200	Non Fire Rated
300 x 300	Beaded Frame 1
450 x 450	Supplied with the INVI Fix Fitting Device
550 x 550	Supplied with the INVI Fix Flush Lock 2
600 x 300	Single Door Unit
600 x 600	Powder Coated RAL 9010 30% Gloss

AD-PBBF-200-200-EF-BL-FD60

1 Hour Fire Rated



Sizes - Picture Frame (mm)	Product Description
200 x 200	Plasterboard Faced Dual Purpose Panel
300 x 300	Non Fire Rated
450 x 450	Beaded Frame 1
550 x 550	Supplied with the INVI Fix Fitting Device
600 x 300	Supplied with the INVI Fix Flush Lock 2
600 x 600	Single Door Unit
	Powder Coated RAL 9010 30% Gloss

- 1 Picture Frame available on request.
- 2 Other latch options available on request.

Riser Door Standard

Product Features

- Dual Purpose - Suitable for installation in to both walls and ceilings
- Fire Rating - Available up to 2 Hours Fire Rated
- Acoustic Rating - Available up to 36dB Rated
- Frame Types - Picture Frame or Beaded Frame
- Lock Type - INVI Fix Flush Lock
- Finish - RAL 9010 30% Gloss White (other colours available)
- Installation - Ezfit Hinge System saves up to 80% of the time taken to fit an Access Panel
- Saves up to 80% on fitting times



AD-WPEZ-1200-900-3PL-NFR

Non Fire Rated



Sizes - Wall (mm)	Sizes - Ceiling (mm)	Product Description
300 x 300	600 x 600	Metal Faced Dual Purpose Panel
to	to	Non Fire Rated
2400 x 1800	1200 x 1200	Picture Frame ¹
(Double Door)	(Double Door)	Supplied with the INVI Fix Fitting Device
		Supplied with the INVI Fix Flush Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss

AD-WPRA-1200-900-3PL-AC-FD120

2 Hours Fire Rated




Sizes - Wall (mm)	Sizes - Ceiling (mm)	Product Description
1200 x 300		Metal Faced Dual Purpose Panel
to	Awaiting	2 Hours Fire Rated
2400 x 1800	Test	Picture Frame ¹
(Double Door)		Supplied with the INVI Fix Fitting Device
		Supplied with the INVI Fix Flush Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss

1 Beaded Frame available on request.
2 Other latch options available on request.

Slim Fit Dual Purpose

Product Features

- Dual Purpose - Suitable for installation in to both walls and ceilings
- Fire Rating - Available up to 2 Hours Fire Rated
- Acoustic Rating - Available up to 30dB Rated
- Airtight Rating - Available Airtight
- Frame Types - Picture or Beaded Frame
- Lock Type - INVI Fix Flush Lock
- Finish - RAL 9010 30% Gloss White



AD-MFS-900-600-BL-FD120

2 Hours Fire Rated




Sizes - Wall (mm)	Sizes - Ceiling (mm)	Product Description
150 x 150	150 x 150	Metal Faced Dual Purpose Panel
to	to	2 Hours Fire Rated
1200 x 600	1200 x 600	Picture Frame ¹
(Single Door)	(Single Door)	Supplied with the INVI Fix Fitting Device
		Supplied with a Budget Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss

1 Beaded Frame available on request.
2 Other latch options available on request.

Metal Panel Wall Panel

Product Features

- Wall Only - Suitable for installation walls only
- Acoustic Rating - Available up to 46dB Rated
- Airtight Rating - Available Airtight
- Frame Types - Picture or Beaded Frame
- Lock Type - INVI Fix Flush Lock
- Finish - RAL 9010 30% Gloss White



AD-WPPF-?-?-3PL-AC-NFR

Non Fire Rated



Sizes - Wall (mm)	Sizes - Ceiling (mm)	Product Description
300 x 300	Not Suitable	Metal Faced Dual Purpose Panel,
to	for	Non Fire Rated
3000 x 1800	Ceiling	Beaded Frame ¹
(Single & Double Door)	Application	Supplied with the INVI Fix Fitting Device
		Supplied with the INVI Fix Flush Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss

AD-WPPF-?-?-3PL-AC-FD60

2 Hours Fire Rated




Sizes - Wall (mm)	Sizes - Ceiling (mm)	Product Description
300 x 300	Not Suitable	Metal Faced Dual Purpose Panel
to	for	2 Hours Fire Rated
2600 x 2000	Ceiling	Beaded Frame ¹
(Single Door)	Application	Supplied with the INVI Fix Fitting Device
		Supplied with the INVI Fix Flush Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss

1 Beaded Frame available on request.
2 Other latch options available on request.

Tile Panel Wall Panel

Product Features

- Wall Only - Suitable for installation walls only
- Fire Rating - Available up to 1 Hour Fire Rated
- Acoustic Rating - Not Available
- Airtight Rating - Not Available
- Frame Types - Beaded Frame
- Lock Type - INVI Fix Flush Lock
- Finish - RAL 9010 30% Gloss White, with Moisture Board infill.
- Installation - Standard Tile Door Installation



AD-CT-300-300-BL-NFR

Non Fire Rated



Sizes (mm)	RRP	Product Description
150 x 150		Ceramic Tile Faced Panel
to	POA	Non Fired Rated
2400 x 1800		Beaded Frame ¹
		Supplied with the INVI Fix Fitting Device
		Supplied with a Budget Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss

AD-CT-1800-600-BL-FD60

1 Hour Fire Rated



Sizes (mm)	RRP	Product Description
150 x 150		Ceramic Tiled Faced Panel
to	POA	1 Hour Fire Rated
1800 x 600		Beaded Frame ¹
		Supplied with the INVI Fix Fitting Device
		Supplied with the INVI Fix Flush Lock ²
		Single Door Unit
		Powder Coated RAL 9010 30% Gloss


1 Beaded Frame available on request.
2 Other latch options available on request.

Locking Mechanism Types



BL Budget Lock

This lock is the standard Access Panel lock. The lock has a mild steel casing with a spring mechanism, and is operated with a square key.



3W 3 Way Lock

This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel.



5MB 5mm Bit

This lock can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The insert provides a medium level of security.



ATL Key Retaining Lock

This can be used with the Budget Lock. The 3 Way Lock and the Euro Lock. The key can only be removed when the panel is locked. This provides a medium level of security.



CTL Castellated Key Lock

Suited Locks are used where a number of Access Panels are required to be opened using the same key formation. One key fits all the locks.



SL Suited Key Lock

Suited Locks are used where a number of access panels are required to be opened using the same key.



TC Touch Catch

This is a light duty touch catch. The catch used where the customer wants a clean panel face, or wherever a discreet locking mechanism is required.



CL Coin Lock

This lock is a chrome plated cylindrical lock. The lock can be operated using either a small coin or a flat bladed screwdriver.



EP 3 Point Euro Cylindrical Lock

This lock enables the panels to be locked on 3 sides. The lock contains a central tongue, with rods locking into the sides of the panel, and uses a security key.



For Sales and Technical Enquiries, please contact us

T: 020 3488 9655
W: www.inviconcept.com
E: sales@inviconcept.com

Head Office - Rugby
Unit 3 Europark A5 Watling Street,
Rugby, Warwickshire CV23 0AL

London Office - By Appointment
26 - 27 Great Sutton Street,
Clerkenwell EC1V 0DS

